

ACI MATERIALS JOURNAL

INDEX VOLUME 97, 2000

From a Journal of the American Concrete Institute, January through December 2000

progress through knowledge



AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

Remove this section and include it with your January through December 2000 Volume 97 issues of the *ACI Materials Journal*.

A

- Abraham, O.**—Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Nov.-Dec. 2000 . . . 645
- Abrasion resistance**
—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000 . . . 99
- Absorption**
—Monitoring water and ionic penetration into cover-zone concrete (97-M75) McCarter, W. J., and Chrisp, M., Nov.-Dec. 2000 . . . 668
- Accelerated curing**
—Thermal curing of portland cement concretes using direct electronic curing (97-M5) Heritage, I.; Khalaf, F. M.; and Wilson, J. G., Jan.-Feb. 2000 . . . 37
- Accelerated tests**
—Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Kurtis, K. E.; Monteiro, P. J. M.; and Madanat, S. M., Mar.-Apr. 2000 . . . 156
- Acceleration**
—Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Li, C. Q., Nov.-Dec. 2000 . . . 690
- Achenbach, J. D.**—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 . . . 127
- Acidobasic indicator**
—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000 . . . 168
- Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension** (97-M71) Li, F., and Li, Z., Nov.-Dec. 2000 . . . 629
- Active confinement**
—Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opaca, N., and Thiedeman, P. D., May-June 2000 297
- Active confinement of concrete members with self-stressing composites** (97-M36) Krstulovic-Opaca, N., and Thiedeman, P. D., May-June 2000 297
- Admixture**
—Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000 . . . 333
—Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Rapoport, J. R.; Popovics, J. S.; Kolluru, S. V.; and Shah, S. P., Nov.-Dec. 2000 . . . 675
- Adiabatic**
—Evaluation of internal restrained strain in concrete members at early age (97-M70) Lu, H. R.; Swaddiwudhipong, S.; and Wee, T. H., Sept.-Oct. 2000 . . . 612
- Age**
—Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000 . . . 21
- Aggregate**
—Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) Buch, N.; Frabizzio, M. A.; and Hiller, J. E., May-June 2000 . . . 325
—Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kolli, V. G.; and Harries, K. A., July-Aug. 2000 . . . 479
—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000 . . . 281
- Air entrainment**
—Optimization and performance of air-entrained, self-consolidating concrete (97-M61) Khayat, K. H., Sept.-Oct. 2000 . . . 526
- Algul, T.**—High-frequency ultrasound technique for testing concrete (97-M8) Jan.-Feb. 2000 . . . 58

- Akkaya, Y.**—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) May-June 2000 . . . 393
- Aldea, C.-M.**—Estimation of water flow through cracked concrete under load (97-M65) Sept.-Oct. 2000 . . . 567
- Aldred, J. M.**—Effect of moisture content on water transport in silica fume concrete (97-M58) July-Aug. 2000 . . . 493
- Alkali-aggregate reactions**
—“Glascrete”—concrete with glass aggregate (97-M27) Jin, W.; Meyer, C.; and Baxter, S., Mar.-Apr. 2000 . . . 208
- Alkali-activated slag**
—Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000 . . . 594
- Alkali-silica reaction**
—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparyk, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000 . . . 486
- Al-Mufarrej, D.**—Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000 . . . 360
- Al-Qadi, I. L.**—Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) July-Aug. 2000 . . . 465
- Anchor**
—Factors influencing fracture behavior of old-new concrete bonds (97-M52) Tschegg, E. K.; Ingruber, M.; Surberg, C. H.; and Münger, F., July-Aug. 2000 . . . 447
- Ansari, F.**—High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Nov.-Dec. 2000 . . . 684
—High-strength concrete in uniaxial tension (97-M7) Jan.-Feb. 2000 . . . 49
- Application of continuum damage mechanics to carbon fiber-reinforced cement composites** (97-M30) Boulfiza, M.; Banthia, N.; and Sakai, K., May-June 2000 . . . 245
- Application of surface wave transmission measurements for crack depth determination in concrete** (97-M17) Popovics, J. S.; Song, W.-J.; Ghandehari, M.; Subramaniam, K. V.; Achenbach, J. D.; and Shah, S. P., Mar.-Apr. 2000 . . . 127
- Architectural concrete**
—“Glascrete”—concrete with glass aggregate (97-M27) Jin, W.; Meyer, C.; and Baxter, S., Mar.-Apr. 2000 . . . 208
- Arya, B.**—Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000 . . . 360
- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction** (97-M63) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000 . . . 550
- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations** (97-M64) Zhang, B.; Bicanic, N.; Pearce, C.; and Balabanic, G., Sept.-Oct. 2000 . . . 556
- Autoclaves**
—New water permeability test scheme for concrete (97-M12) Li, Z., and Chau, C.-K., Jan.-Feb. 2000 . . . 84
- Autoclaving**
—Prediction relations for compressive strength of aerated concrete (97-M43) Narayanan, N., and Ramamurthy, K., May-June 2000 . . . 367
- Autogenous shrinkage of ground-granulated blast-furnace slag concrete** (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000 . . . 587
- Autogenous volume change**
—Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000 . . . 587
- Auyeung, Y.**—Bond behavior of corroded reinforcement bars (97-M28) Mar.-Apr. 2000 . . . 214

B

- Backfill concrete**
—Properties of controlled low-strength material containing foundry sand (97-M79) Tikalsky, P.; Gaffney, M.; and Regan, R., Nov.-Dec. 2000 . . . 698
- Balabanic, G.**—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Sept.-Oct. 2000 . . . 550

—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Sept.-Oct. 2000	556
Balaguru, P. —Bond behavior of corroded reinforcement bars (97-M28) Mar.-Apr. 2000	214
Ballivy, G. —Rheological behavior and setting time of microfine cement-based grouts (97-M55) July-Aug. 2000	472
Banthia, N. —Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) May-June 2000	245
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Jan.-Feb. 2000	3
—Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Mar.-Apr. 2000	115
—Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) July-Aug. 2000	432
Baxter, S. —“Glascrete”—concrete with glass aggregate (97-M27) Mar.-Apr. 2000	208
Bazant, Z. P. —Energetic-statistical size effect in quasibrittle failure at crack initiation (97-M45) May-June 2000	381
Beam	
—Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) Boulfiza, M.; Banthia, N.; and Sakai, K., May-June 2000	245
Beaudoin, J. J. —Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) July-Aug. 2000	418
—Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) May-June 2000	254
Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000	27
Bentur, A. —Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Jan.-Feb. 2000	21
Bentz, D. P. —Fibers, percolation, and spalling of high-performance concrete (97-M41) May-June 2000	351
Biaxial loads	
—Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000	27
Bicanic, N. —Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Sept.-Oct. 2000	550
—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Sept.-Oct. 2000	556
Bickley, J. —Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) May-June 2000	374
Bilgutay, N. M. —High-frequency ultrasound technique for testing concrete (97-M8) Jan.-Feb. 2000	58
Bilodeau, A. —High-volume fly ash system: concrete solution for sustainable development (97-M6) Jan.-Feb. 2000	41
Binder	
—Effect of moisture content on water transport in silica fume concrete (97-M58) Aldred, J. M.; Swaddiwudhipong, S.; Lee, S. L.; and Wee, T. H., July-Aug. 2000	493
Bindiganavile, V. —Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Mar.-Apr. 2000	115
Blast-furnace slag	
—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000	518
—Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000	254
—Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000	66
—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000	603
Blended cement	
—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000	603
Bond	
—Bond behavior of corroded reinforcement bars (97-M28) Auyeung, Y.; Balaguru, P.; and Chung, L., Mar.-Apr. 2000	214

—Factors influencing fracture behavior of old-new concrete bonds (97-M52) Tschegg, E. K.; Ingruber, M.; Surberg, C. H.; and Munger, F., July-Aug. 2000	447
—Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000	272
Bond (concrete to concrete)	
—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000	201
Bond (concrete to reinforcement)	
—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000	108
Bond behavior of corroded reinforcement bars (97-M28) Auyeung, Y.; Balaguru, P.; and Chung, L., Mar.-Apr. 2000	214
Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000	201
Boulfiza, M. —Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) May-June 2000	245
Bridge deck	
—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000	172
—Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000	71
Buch, N. —Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) May-June 2000	325

C

Cameron, G. —Influence of curing conditions on concrete specimens at construction site (97-M16) Mar.-Apr. 2000	120
Cangiano, S. —Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Mar.-Apr. 2000	182
Carasek, H. —Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) July-Aug. 2000	486
Carbon	
—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000	182
Carbon black	
—Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Bindiganavile, V., and Banthia, N., Mar.-Apr. 2000	115
Carbonation	
—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000	518
Carbonation process	
—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000	168
Cathode-to-anode area ratio	
—Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Song, X., and Liu, X., Mar.-Apr. 2000	148
Cellular concrete	
—Prediction relations for compressive strength of aerated concrete (97-M43) Narayanan, N., and Ramamurthy, K., May-June 2000	367
Cement	
—Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) Boulfiza, M.; Banthia, N.; and Sakai, K., May-June 2000	245
—Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000	333
—Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000	309
—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) Akkaya, Y.; Peled, A.; Picka, J. D.; and Shah, S. P., May-June 2000	393
—High-volume fly ash system: concrete solution for sustainable development (97-M6) Bilodeau, A., and Malhotra, V. M., Jan.-Feb. 2000	41
Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000	333
Cement pastes	
—Microhardness testing of fiber-reinforced cement paste (97-M21) Cross, W. M.; Sabnis, K. H.; Kjerengtroen, L.; and Kellar, J. J., Mar.-Apr. 2000	162

Cementitious matrix

- Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) Boulfiza, M.; Banthia, N.; and Sakai, K., May-June 2000 245
- Cere, N.—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Mar.-Apr. 2000 182
- Chan, S. Y. N.—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Mar.-Apr. 2000 108
- Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000 309
- Chau, C.-K.—New water permeability test scheme for concrete (97-M12) Jan.-Feb. 2000 84
- Chen, B.—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Mar.-Apr. 2000 172
- Chlorides**
 - Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Wee, T. H.; Suryavanshi, A. K.; and Tin, S. S., Mar.-Apr. 2000 221
- Chrisp, M.—Monitoring water and ionic penetration into cover-zone concrete (97-M75) Nov.-Dec. 2000 668
- Chung, D. D. L.—Cement-based materials improved by surface-treated admixtures (97-M39) May-June 2000 333
- Chung, L.—Bond behavior of corroded reinforcement bars (97-M28) Mar.-Apr. 2000 214
- Coarse aggregate**
 - Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000 360
- Coatings**
 - New water permeability test scheme for concrete (97-M12) Li, Z., and Chau, C.-K., Jan.-Feb. 2000 84
- Coefficient of permeability to water**
 - Estimation of water flow through cracked concrete under load (97-M65) Aldea, C.-M.; Ghandehari, M.; Shah, S. P.; and Karr, A., Sept.-Oct. 2000 567
- Collins, F.—Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Sept.-Oct. 2000 594
- Column**
 - Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Kshirsagar, S.; Lopez-Anido, R. A.; and Gupta, R. K., Nov.-Dec. 2000 703
- Composite construction**
 - Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Kshirsagar, S.; Lopez-Anido, R. A.; and Gupta, R. K., Nov.-Dec. 2000 703
- Compression**
 - Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000 21
- Compressive Strength**
 - Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000 587
 - Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000 27
 - High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 49
 - Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000 518
 - Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000 99
 - Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000 136
 - Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000 281
 - Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000 360
 - Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000 193
 - Prediction relations for compressive strength of aerated concrete (97-M43) Narayanan, N., and Ramamurthy, K., May-June 2000 367
 - Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000 66

- Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000 603
- Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Heritage, I.; Khalaf, F. M.; and Wilson, J. G., Jan.-Feb. 2000 37
- Concrete**
 - Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Popovics, J. S.; Song, W.-J.; Ghandehari, M.; Subramaniam, K. V.; Achenbach, J. D.; and Shah, S. P., Mar.-Apr. 2000 127
 - Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000 333
 - Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000 71
 - Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Kurtis, K. E.; Monteiro, P. J. M.; and Madanat, S. M., Mar.-Apr. 2000 156
 - Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Song, X., and Liu, X., Mar.-Apr. 2000 148
 - Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000 351
 - High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58
 - High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 49
 - Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) Buch, N.; Frabizzio, M. A.; and Hiller, J. E., May-June 2000 325
 - Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000 120
 - Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kolli, V. G.; and Harries, K. A., July-Aug. 2000 479
 - Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000 272
 - Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) Malhotra, V. M.; Zhang, M.-H.; and Leaman, G. H., July-Aug. 2000 409
 - Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Banthia, N., and Dubey, A., Jan.-Feb. 2000 3
 - Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000 78
 - Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000 66
 - Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000 603
 - Studies on galvanized carbon steel in Ca(OH)₂ solutions (97-M49) Haran, B. S.; Popov, B. N.; Petrou, M. F.; and White, R. E., July-Aug. 2000 425
 - Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Heritage, I.; Khalaf, F. M.; and Wilson, J. G., Jan.-Feb. 2000 37
 - Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Abraham, O.; Léonard, C.; Côte, P.; and Piwakowski, B., Nov.-Dec. 2000 645
 - Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Rapoport, J. R.; Popovics, J. S.; Kolluru, S. V.; and Shah, S. P., Nov.-Dec. 2000 675
- Concrete durability**
 - Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Wee, T. H.; Suryavanshi, A. K.; and Tin, S. S., Mar.-Apr. 2000 221
 - New water permeability test scheme for concrete (97-M12) Li, Z., and Chau, C.-K., Jan.-Feb. 2000 84
- Conductive concrete**
 - Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000 172

Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000	172
Consolidation	
—Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000	374
Controlled low-strength cementitious materials	
—Properties of controlled low-strength material containing foundry sand (97-M79) Tikalsky, P.; Gaffney, M.; and Regan, R., Nov.-Dec. 2000	698
Core tests	
—Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
Corrosion	
—Bond behavior of corroded reinforcement bars (97-M28) Auyeung, Y.; Balaguru, P.; and Chung, L., Mar.-Apr. 2000	214
—Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Li, C. Q., Nov.-Dec. 2000	690
—Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Song, X., and Liu, X., Mar.-Apr. 2000	148
—Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) Otsuki, N.; Miyazato, S.-i.; Diola, N. B.; and Suzuki, H., July-Aug. 2000	454
—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Yoon, S.; Wang, K.; Weiss, W. J.; and Shah, S. P., Nov.-Dec. 2000	637
—Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) Malhotra, V. M.; Zhang, M.-H.; and Leaman, G. H., July-Aug. 2000	409
—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000	78
—Studies on galvanized carbon steel in $\text{Ca}(\text{OH})_2$ solutions (97-M49) Haran, B. S.; Popov, B. N.; Petrou, M. F.; and White, R. E., July-Aug. 2000	425
Corrosion inhibitor	
—Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) Louizi, A.; Al-Qadi, I. L.; and Diefenderfer, B. K., July-Aug. 2000	465
Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Li, C. Q., Nov.-Dec. 2000	690
Côte, P. —Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Nov.-Dec. 2000	645
Crack	
—Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Li, C. Q., Nov.-Dec. 2000	690
—Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) Cusson, D., and Repette, W. L., July-Aug. 2000	438
—Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) Banthia, N., and Yan, C., July-Aug. 2000	432
Cracking	
—Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) Bouffiza, M.; Banthia, N.; and Sakai, K., May-June 2000	245
—Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000	71
—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparik, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000	486
—Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) Buch, N.; Frabizzio, M. A.; and Hiller, J. E., May-June 2000	325
Cracking (fracturing)	
—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Popovics, J. S.; Song, W.-J.; Ghandehari, M.; Subramaniam, K. V.; Achenbach, J. D.; and Shah, S. P., Mar.-Apr. 2000	127
—High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000	49
—Nondestructive evaluation using numerical simulation of impact response (97-M40) Newton, C. M., and Eberhard, M. O., May-June 2000	343
—Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000	594

—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000	182
—Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000	193
Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000	71
Creep	
—Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) Cusson, D., and Repette, W. L., July-Aug. 2000	438
—Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) Mokhtarzadeh, A., and French, C., May-June 2000	263
Creep properties	
—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000	108
Cross, W. M. —Microhardness testing of fiber-reinforced cement paste (97-M21) Mar.-Apr. 2000	162
Curing	
—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000	556
—Effect of moisture content on water transport in silica fume concrete (97-M58) Aldred, J. M.; Swaddiwudhipong, S.; Lee, S. L.; and Wee, T. H., July-Aug. 2000	493
—Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000	120
—Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000	21
—Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000	193
—Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000	66
—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000	603
Cusson, D. —Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) July-Aug. 2000	438
Cyr, M. F. —High content of fly ash (class F) in extruded cementitious composites (97-M59) Sept.-Oct. 2000	509

D

D'Annunzio, C. O. —Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000	360
Deflection	
—High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000	49
—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Yoon, S.; Wang, K.; Weiss, W. J.; and Shah, S. P., Nov.-Dec. 2000	637
Deformation	
—Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000	27
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Banthia, N., and Dubey, A., Jan.-Feb. 2000	3
—Optimization and performance of air-entrained, self-consolidating concrete (97-M61) Khayat, K. H., Sept.-Oct. 2000	526
Degradation of concrete	
—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000	168
Deicing	
—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000	172
Delatte, N. J. —Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Mar.-Apr. 2000	201
Delatte, N. J., Jr. —Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) May-June 2000	272
Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Zhang, M.-H.; Malhotra, V. M.; and Wolsiefer, J. Sr., Sept.-Oct. 2000	576

Detwiler, R. J.—Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Jan.-Feb. 2000	71
Development of statistical quality assurance criterion for concrete using ultrasonic pulse velocity method (96-M70)	
—Phoon, K. K.; Wee, T. H.; and Loi, C. S., Sept.-Oct. 1999	568
—Disc. by Teodoru, G., Sept.-Oct. 2000	619
Diefenderfer, B. K.—Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) July-Aug. 2000	465
Diola, N. B.—Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) July-Aug. 2000	454
Dolen, T. P.—Dynamic properties of mass concrete obtained from dam cores (97-M35) May-June 2000	290
Dry density	
—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
Dry-mixture	
—Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000	309
Dubey, A.—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M11) Jan.-Feb. 2000	3
Durability	
—Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Kshirsagar, S.; Lopez-Anido, R. A.; and Gupta, R. K., Nov.-Dec. 2000	703
—High content of fly ash (class F) in extruded cementitious composites (97-M59) Peled, A.; Cyr, M. F.; and Shah, S. P., Sept.-Oct. 2000	509
—High-volume fly ash system: concrete solution for sustainable development (97-M6) Bilodeau, A., and Malhotra, V. M., Jan.-Feb. 2000	41
—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000	78
—Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000	360
Dynamic modulus	
—Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
Dynamic response	
—Nondestructive evaluation using numerical simulation of impact response (97-M40) Newton, C. M., and Eberhard, M. O., May-June 2000	343
Dynamic strength	
—Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
E	
Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) Cusson, D., and Repette, W. L., July-Aug. 2000	438
Earthquake properties	
—Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
Eberhard, M. O.—Nondestructive evaluation using numerical simulation of impact response (97-M40) May-June 2000	343
Effect of moisture content on water transport in silica fume concrete (97-M58) Aldred, J. M.; Swaddiwudhipong, S.; Lee, S. L.; and Wee, T. H., July-Aug. 2000	493
Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Guerrero, P., and Naaman, A. E., Jan.-Feb. 2000	12
Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) Xu, G., and Beaudoin, J. J., July-Aug. 2000	418
Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) Akkaya, Y.; Peled, A.; Picka, J. D.; and Shah, S. P., May-June 2000	393
Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparyk, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000	486
Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) Louizi, A.; Al-Qadi, I. L.; and Diefenderfer, B. K., July-Aug. 2000	465
Electric curing	
—Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Heritage, I.; Khalaf, F. M.; and Wilson, J. G., Jan.-Feb. 2000	37

Electrical resistance

—Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Wee, T. H.; Suryavanshi, A. K.; and Tin, S. S., Mar.-Apr. 2000	221
Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Kurtis, K. E.; Monteiro, P. J. M.; and Madanat, S. M., Mar.-Apr. 2000	156
Energetic-statistical size effect in quasibrittle failure at crack initiation (97-M45) Bazant, Z. P., and Novák, D., May-June 2000	381
Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Kshirsagar, S.; Lopez-Anido, R. A.; and Gupta, R. K., Nov.-Dec. 2000	703
Estimation of water flow through cracked concrete under load (97-M65) Aldea, C.-M.; Ghandehari, M.; Shah, S. P.; and Karr, A., Sept.-Oct. 2000	567
Evaluation of internal restrained strain in concrete members at early age (97-M70) Lu, H. R.; Swaddiwudhipong, S.; and Wee, T. H., Sept.-Oct. 2000	612
Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Wee, T. H.; Suryavanshi, A. K.; and Tin, S. S., Mar.-Apr. 2000	221
Expanded shale (clay)	
—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
Expansion	
—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparyk, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000	486
—Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Kurtis, K. E.; Monteiro, P. J. M.; and Madanat, S. M., Mar.-Apr. 2000	156
Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Song, X., and Liu, X., Mar.-Apr. 2000	148

F

Factors influencing fracture behavior of old-new concrete bonds (97-M52) Tschegg, E. K.; Ingruber, M.; Surberg, C. H.; and Münger, F., July-Aug. 2000	447
Failure	
—High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Li, Q., and Ansari, F., Nov.-Dec. 2000	684
Failure mechanisms	
—Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000	27
Fatigue	
—Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Singh, S. P., and Kaushik, S. K., Nov.-Dec. 2000	658
Fatigue (materials)	
—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000	182
Feng, N.-Q.—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Mar.-Apr. 2000	108
Ferdon, D.—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Mar.-Apr. 2000	172
Fiber-reinforced concrete	
—Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Li, F., and Li, Z., Nov.-Dec. 2000	629
—Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opara, N., and Thiedeman, P. D., May-June 2000	297
—Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Singh, S. P., and Kaushik, S. K., Nov.-Dec. 2000	658
—Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) Banthia, N., and Yan, C., July-Aug. 2000	432
Fiber reinforcement	
—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) Akkaya, Y.; Peled, A.; Picka, J. D.; and Shah, S. P., May-June 2000	393
Fibers	
—Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000	351
—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Banthia, N., and Dubey, A., Jan.-Feb. 2000	3
—Microhardness testing of fiber-reinforced cement paste (97-M21) Cross, W. M.; Sabnis, K. H.; Kjerengtroen, L.; and Kellar, J. J., Mar.-Apr. 2000	162

Fibers (discrete fibers)

—Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Guerrero, P., and Naaman, A. E., Jan.-Feb. 2000 . . . 12

Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000 . . . 351

Fineness

—Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000 . . . 309

Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Singh, S. P., and Kaushik, S. K., Nov.-Dec. 2000 . . . 658

Flexural strength

—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000 . . . 99

—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Banthia, N., and Dubey, A., Jan.-Feb. 2000 . . . 3

—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q., and Tsang, M. K. C., Mar.-Apr. 2000 . . . 108

—Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000 . . . 136

—Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000 . . . 193

—Sulfate resistance of concrete containing mineral admixtures (97-M62) Wee, T. H.; Suryavanshi, A. K.; Wong, S. F.; and Rahman, A. K. M. A., Sept.-Oct. 2000 . . . 536

Flow

—Estimation of water flow through cracked concrete under load (97-M65) Aldea, C.-M.; Ghandehari, M.; Shah, S. P.; and Karr, A., Sept.-Oct. 2000 . . . 567

Fly ash

—High content of fly ash (class F) in extruded cementitious composites (97-M59) Peled, A.; Cyr, M. F.; and Shah, S. P., Sept.-Oct. 2000 . . . 509

—High-volume fly ash system: concrete solution for sustainable development (97-M6) Bilodeau, A., and Malhotra, V. M., Jan.-Feb. 2000 . . . 41

—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000 . . . 518

—Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) Malhotra, V. M.; Zhang, M.-H., and Leaman, G. H., July-Aug. 2000 . . . 409

—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000 . . . 99

—Properties of controlled low-strength material containing foundry sand (97-M79) Tikalsky, P.; Gaffney, M.; and Regan, R., Nov.-Dec. 2000 . . . 698

—Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Bindiganavile, V., and Banthia, N., Mar.-Apr. 2000 . . . 115

Formwork

—Evaluation of internal restrained strain in concrete members at early age (97-M70) Lu, H. R.; Swaddiwudhipong, S.; and Wee, T. H., Sept.-Oct. 2000 . . . 612

Fowler, D. W.—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Mar.-Apr. 2000 . . . 201

—Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) May-June 2000 . . . 272

Frabizzio, M. A.—Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) May-June 2000 . . . 325

Fracture

—Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Li, F., and Li, Z., Nov.-Dec. 2000 . . . 629

—Factors influencing fracture behavior of old-new concrete bonds (97-M52) Tschegg, E. K.; Ingruber, M.; Surberg, C. H.; and Münger, F., July-Aug. 2000 . . . 447

—Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000 . . . 360

Fracture properties

—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S., and Cere, N., Mar.-Apr. 2000 . . . 182

French, C.—Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mar.-Apr. 2000 . . . 136

—Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) May-June 2000 . . . 263

G

Gadala-Maria, F.—Influence of mortar rheology on aggregate settlement (97-M56) July-Aug. 2000 . . . 479

Gaffney, M.—Properties of controlled low-strength material containing foundry sand (97-M79) Nov.-Dec. 2000 . . . 698

Gerwick, B. C., Jr.—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Jan.-Feb. 2000 . . . 78

Ghandehari, M.—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 . . . 127

—Estimation of water flow through cracked concrete under load (97-M65) Sept.-Oct. 2000 . . . 567

"Glascote"—concrete with glass aggregate (97-M27) Jin, W.; Meyer, C.; and Baxter, S., Mar.-Apr. 2000 . . . 208

Glass aggregates

—"Glascote"—concrete with glass aggregate (97-M27) Jin, W.; Meyer, C.; and Baxter, S., Mar.-Apr. 2000 . . . 208

Ground-granulated blast-furnace slag

—Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000 . . . 587

—Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000 . . . 594

GROUT

—Rheological behavior and setting time of microfine cement-based grouts (97-M55) Perret, S.; Palardy, D.; and Ballivy, G., July-Aug. 2000 . . . 472

Gu, P.—Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) May-June 2000 . . . 254

Guerrero, P.—Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Jan.-Feb. 2000 . . . 12

Gupta, R. K.—Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Nov.-Dec. 2000 . . . 703

H

Haran, B. S.—Studies on galvanized carbon steel in $\text{Ca}(\text{OH})_2$ solutions (97-M49) July-Aug. 2000 . . . 425

Harries, K. A.—Influence of mortar rheology on aggregate settlement (97-M56) July-Aug. 2000 . . . 479

Harris, D. W.—Dynamic properties of mass concrete obtained from dam cores (97-M35) May-June 2000 . . . 290

Hasparik, N. P.—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) July-Aug. 2000 . . . 486

Heritage, L.—Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Jan.-Feb. 2000 . . . 37

High content of fly ash (class F) in extruded cementitious composites (97-M59) Peled, A.; Cyr, M. F.; and Shah, S. P., Sept.-Oct. 2000 . . . 509

High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 . . . 58

High-performance concrete

—Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000 . . . 351

—Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000 . . . 21

—Optimization and performance of air-entrained, self-consolidating concrete (97-M61) Khayat, K. H., Sept.-Oct. 2000 . . . 526

—Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 . . . 374

High-range water-reducing admixture

—Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) Xu, G., and Beaudoin, J. J., July-Aug. 2000 . . . 418

High-strength concrete

—Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000 . . . 27

—High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Li, Q., and Ansari, F., Nov.-Dec. 2000 . . . 684

—High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 . . . 49

—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000	518
—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000	108
—Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000	136
—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000	182
—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000	603
—Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) Mokhtarzadeh, A., and French, C., May-June 2000	263
High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Li, Q., and Ansari, F., Nov.-Dec. 2000	684
High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000	49
High-strength lightweight aggregate concrete	
—Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opara, N., and Thiedeman, P. D., May-June 2000	297
High-volume fly ash system: concrete solution for sustainable development (97-M6) Bilodeau, A., and Malhotra, V. M., Jan.-Feb. 2000	41
Hiller, J. E.—Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) May-June 2000	325
Hussein, A.—Behavior of high-strength concrete under biaxial stresses (97-M4) Jan.-Feb. 2000	27
Hwang, C. L.—Characteristics of microhydrates formed under steam conditions (97-M37) May-June 2000	309
Hydrate	
—Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000	309
Igarashi, S.—Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Jan.-Feb. 2000	21
Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) Buch, N.; Frabizzio, M. A.; and Hiller, J. E., May-June 2000	325
Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000	120
Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S., and Bentur, A., Jan.-Feb. 2000	21
Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kolli, V. G.; and Harries, K. A., July-Aug. 2000	479
Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) Otsuki, N.; Miyazato, S.-i.; Diola, N. B.; and Suzuki, H., July-Aug. 2000	454
Ingruber, M.—Factors influencing fracture behavior of old-new concrete bonds (97-M52) July-Aug. 2000	447
Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Yoon, S.; Wang, K.; Weiss, W. J.; and Shah, S. P., Nov.-Dec. 2000	637
Investigation of chloride diffusion for high-performance concrete containing fly ash, microsilica, and chemical admixtures (96-M49) —Li, Z.; Peng, J.; and Ma, B., May-Jun. 1999	391
—Disc. by Berke, N. S., Mar.-Apr. 2000	233
—Disc. by Rosenberg, A. M., Mar.-Apr. 2000	234
Iwaki, I.—Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Jan.-Feb. 2000	66

J

Janotka, I.—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Mar.-Apr. 2000	168
Jansen, D. C.—Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000	360
Jin, W.—“Glascrete”—concrete with glass aggregate (97-M27) Mar.-Apr. 2000	208

K

Karaoguz, M.—High-frequency ultrasound technique for testing concrete (97-M18) Jan.-Feb. 2000	58
Karr, A.—Estimation of water flow through cracked concrete under load (97-M65) Sept.-Oct. 2000	567
Kaushik, S. K.—Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Nov.-Dec. 2000	658
Kellar, J. J.—Microhardness testing of fiber-reinforced cement paste (97-M21) Mar.-Apr. 2000	162
Khalaf, F. M.—Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Jan.-Feb. 2000	37
Khayat, K. H.—Optimization and performance of air-entrained, self-consolidating concrete (97-M61) Sept.-Oct. 2000	526
—Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) May-June 2000	374
Kjerengtroen, L.—Microhardness testing of fiber-reinforced cement paste (97-M21) Mar.-Apr. 2000	162
Kolli, V. G.—Influence of mortar rheology on aggregate settlement (97-M56) July-Aug. 2000	479
Kolluru, S. V.—Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Nov.-Dec. 2000	675
Kovler, K.—Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Jan.-Feb. 2000	21
Krajci, L.—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Mar.-Apr. 2000	168
Krstulovic-Opara, N.—Active confinement of concrete members with self-stressing composites (97-M36) May-June 2000	297
Kshirsagar, S.—Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Nov.-Dec. 2000	703
Kurtis, K. E.—Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Mar.-Apr. 2000	156

L

Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000	272
Lagergren, E. S.—Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Jan.-Feb. 2000	71
Leaman, G. H.—Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) July-Aug. 2000	409
Lee, S. L.—Effect of moisture content on water transport in silica fume concrete (97-M58) July-Aug. 2000	493
Légeron, F.—Prediction of modulus of rupture of concrete (97-M25) Mar.-Apr. 2000	193
Léonard, C.—Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Nov.-Dec. 2000	645
Lessard, M.—Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) May-June 2000	374
Li, C. Q.—Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Nov.-Dec. 2000	690
Li, F.—Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Nov.-Dec. 2000	629
Li, Q.—High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Nov.-Dec. 2000	684
—High-strength concrete in uniaxial tension (97-M7) Jan.-Feb. 2000	49
Li, Z.—Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Nov.-Dec. 2000	629
—New water permeability test scheme for concrete (97-M12) Jan.-Feb. 2000	84
Lightweight aggregate	
—Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000	27

—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
Lim, S. N.—Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Sept.-Oct. 2000	587
Lin, W. M.—Characteristics of microhydrates formed under steam conditions (97-M37) May-June 2000	309
Liu, X.—Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Mar.-Apr. 2000	148
Load	
—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000	550
Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000	518
Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) Malhotra, V. M.; Zhang, M.-H.; and Leaman, G. H., July-Aug. 2000	409
López, M.—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) May-June 2000	281
Lopez-Anido, R. A.—Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Nov.-Dec. 2000	703
Loulizi, A.—Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) July-Aug. 2000	465
Low temperature	
—Strength development of concrete incorporating high levels of ground granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000	66
Lu, H. R.—Evaluation of internal restrained strain in concrete members at early age (97-M70) Sept.-Oct. 2000	612

M

Madanat, S. M.—Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Mar.-Apr. 2000	156
Malhotra, V. M.—Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Sept.-Oct. 2000	576
—High-volume fly ash system: concrete solution for sustainable development (97-M6) Jan.-Feb. 2000	41
—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Sept.-Oct. 2000	518
—Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) July-Aug. 2000	409
—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Mar.-Apr. 2000	99
—Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) May-June 2000	254
Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000	99
Marzouk, H.—Behavior of high-strength concrete under biaxial stresses (97-M4) Jan.-Feb. 2000	27
Mass concrete	
—Dynamic properties of mass concrete obtained from dam cores (97-M35) Harris, D. W.; Mohorovic, C. E.; and Dolen, T. P., May-June 2000	290
Maturity method	
—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000	201
McCarter, W. J.—Monitoring water and ionic penetration into cover-zone concrete (97-M75) Nov.-Dec. 2000	668
Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Banthia, N., and Dubey, A., Jan.-Feb. 2000	3
Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000	168

Mechanical properties

—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000	172
—High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000	49
—High-volume fly ash system: concrete solution for sustainable development (97-M6) Bilodeau, A., and Malhotra, V. M., Jan.-Feb. 2000	41
Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000	108
Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000	136
Meyer, C.—"Glascrete"—concrete with glass aggregate (97-M27) Mar.-Apr. 2000	208
Microcracks	
—Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Li, F., and Li, Z., Nov.-Dec. 2000	629
—Effect of moisture content on water transport in silica fume concrete (97-M58) Aldred, J. M.; Swaddiwudhipong, S.; Lee, S. L.; and Wee, T. H., July-Aug. 2000	493
Microhardness	
—Microhardness testing of fiber-reinforced cement paste (97-M21) Cross, W. M.; Sabnis, K. H.; Kjerengtroen, L., and Kellar, J. J., Mar.-Apr. 2000	162
Microhardness testing of fiber-reinforced cement paste (97-M21) Cross, W. M.; Sabnis, K. H.; Kjerengtroen, L., and Kellar, J. J., Mar.-Apr. 2000	162
Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000	78
Microstructure	
—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000	99
—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000	78
Mineral admixtures	
—Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Wee, T. H.; Suryavanshi, A. K.; and Tin, S. S., Mar.-Apr. 2000	221
Miura, T.—Strength development of concrete incorporating high levels of ground granulated blast-furnace slag at low temperatures (97-M9) Jan.-Feb. 2000	66
Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
Miyazato, S.-I.—Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) July-Aug. 2000	454
Modulus of elasticity	
—Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000	518
—Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000	99
—Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000	136
—Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000	360
Mohorovic, C. E.—Dynamic properties of mass concrete obtained from dam cores (97-M35) May-June 2000	290
Mokhtarzadeh, A.—Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mar.-Apr. 2000	136
—Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) May-June 2000	263
Monitoring water and ionic penetration into cover-zone concrete (97-M75) McCarter, W. J., and Chrisp, M., Nov.-Dec. 2000	668
Monteiro, P. J. M.—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) July-Aug. 2000	486
—Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Mar.-Apr. 2000	156
—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Jan.-Feb. 2000	78

Mortar

- Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000 333
- Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Zhang, M.-H.; Malhotra, V. M., and Wolsiefer, J., Sr., Sept.-Oct. 2000 576
- Mortars (material)**
- Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Guerrero, P., and Naaman, A. E., Jan.-Feb. 2000 12
- High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58
- Münger, F.—Factors influencing fracture behavior of old-new concrete bonds (97-M52) July-Aug. 2000 447

N

- Naaman, A. E.—Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Jan.-Feb. 2000 12
- Narayanan, N.—Prediction relations for compressive strength of aerated concrete (97-M43) May-June 2000 367
- New water permeability test scheme for concrete** (97-M12) Li, Z., and Chau, C.-K., Jan.-Feb. 2000 84
- Newton, C. M.—Nondestructive evaluation using numerical simulation of impact response (97-M40) May-June 2000 343
- Nondestructive evaluation using numerical simulation of impact response** (97-M40) Newton, C. M., and Eberhard, M. O., May-June 2000 343
- Nondestructive testing**
- Nondestructive evaluation using numerical simulation of impact response (97-M40) Newton, C. M., and Eberhard, M. O., May-June 2000 343
- Nondestructive tests**
- Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Popovics, S.; Song, W.-J.; Ghandehari, M.; Subramaniam, K. V.; Achenbach, J. D.; and Shah, S. P., Mar.-Apr. 2000 127
- High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58
- Novák, D.—Energetic-statistical size effect in quasibrittle failure at crack initiation (97-M45) May-June 2000 381
- Numerical modeling**
- Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000 594
- Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage** (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000 594

O

- Optimization and performance of air-entrained, self-consolidating concrete** (97-M61) Khayat, K. H., Sept.-Oct. 2000 526
- Ordinary portland cement**
- Sulfate resistance of concrete containing mineral admixtures (97-M62) Wee, T. H.; Suryavanshi, A. K.; Wong, S. F.; and Rahman, A. K. M. A., Sept.-Oct. 2000 536
- Otsuki, N.—Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) July-Aug. 2000 454
- Overlay**
- Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000 201
- Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Yehia, S.; Tuan, C. Y.; Ferdon, D.; and Chen, B., Mar.-Apr. 2000 172
- Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000 272

P

- Palardy, D.—Rheological behavior and setting time of microfine cement-based grouts (97-M55) July-Aug. 2000 472
- Palmquist, S. M.—Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000 360

- Paultre, P.—Prediction of modulus of rupture of concrete (97-M25) Mar.-Apr. 2000 193
- Pavement**
- Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000 201
- Nondestructive evaluation using numerical simulation of impact response (97-M40) Newton, C. M., and Eberhard, M. O., May-June 2000 343
- Pavement (concrete)**
- Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000 272
- Pearce, C. J.—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Sept.-Oct. 2000 550
- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Sept.-Oct. 2000 556
- Peled, A.—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) May-June 2000 393
- High content of fly ash (class F) in extruded cementitious composites (97-M59) Sept.-Oct. 2000 509
- Peng, Y. N.—Characteristics of microhydrates formed under steam conditions (97-M37) May-June 2000 309
- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution** (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000 254
- Performance of self-consolidating concrete for casting basement and foundation walls** (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 374
- Permeability**
- New water permeability test scheme for concrete (97-M12) Li, Z., and Chau, C.-K., Jan.-Feb. 2000 84
- Perret, S.—Rheological behavior and setting time of microfine cement-based grouts (97-M55) July-Aug. 2000 472
- Petrou, M. F.—Influence of mortar rheology on aggregate settlement (97-M56) July-Aug. 2000 479
- Studies on galvanized carbon steel in Ca(OH)₂ solutions (97-M49) July-Aug. 2000 425
- Physical properties of concrete with vitrified coarse aggregate** (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000 360
- Picka, J. D.—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) May-June 2000 393
- Piwakowski, B.—Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M75) Nov.-Dec. 2000 645
- Plante, M.—Influence of curing conditions on concrete specimens at construction site (97-M16) Mar.-Apr. 2000 120
- Pizzari, G. A.—Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Mar.-Apr. 2000 182
- Poisson's ratio**
- Physical properties of concrete with vitrified coarse aggregate (97-M42) Jansen, D. C.; Palmquist, S. M.; Swan, C.; Al-Mufarrej, D.; Arya, B.; and D'Annunzio, C. O., May-June 2000 360
- Polymer**
- Environmental aging of fiber-reinforced polymer-wrapped concrete cylinders (97-M80) Kshirsagar, S.; Lopez-Anido, R. A.; and Gupta, R. K., Nov.-Dec. 2000 703
- Popov, B. N.—Studies on galvanized carbon steel in Ca(OH)₂ solutions (97-M49) July-Aug. 2000 425
- Popovics, J. S.—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 127
- High-frequency ultrasound technique for testing concrete (97-M8) Jan.-Feb. 2000 58
- Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Nov.-Dec. 2000 675
- Porosity**
- Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000 120
- Portland cement concrete**
- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000 254

Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000	182
Potentiodynamic method	
—Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000	168
Pozzolan	
—Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparyk, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000	486
Precast concrete	
—Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) Loulizi, A.; Al-Qadi, I. L.; and Diefenderfer, B. K., July-Aug. 2000	465
Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000	193
Prediction relations for compressive strength of aerated concrete (97-M43) Narayanan, N., and Ramamurthy, K., May-June 2000	367
Prestressing	
—Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opara, N., and Thiedeman, P. D., May-June 2000	297
Properties of controlled low-strength material containing foundry sand (97-M79) Tikalsky, P.; Gaffney, M.; and Regan, R., Nov.-Dec. 2000	698
Proportioning	
—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
Pullout test	
—Effect of mortar fineness and adhesive agents on pullout response of steel fibers (97-M2) Guerrero, P., and Naaman, A. E., Jan.-Feb. 2000	12
Pumice	
—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281

R

Rahman, A. K. M. A. —Sulfate resistance of concrete containing mineral admixtures (97-M62) Sept.-Oct. 2000	536
Ramamurthy, K. —Prediction relations for compressive strength of aerated concrete (97-M43) May-June 2000	367
Rapoport, J. R. —Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Nov.-Dec. 2000	675
Read, P. H. —Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Sept.-Oct. 2000	518
Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Bindiganavile, V., and Bantia, N., Mar.-Apr. 2000	115
Reflection	
—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Yoon, S.; Wang, K.; Weiss, W. J.; and Shah, S. P., Nov.-Dec. 2000	637
Regan, R. —Properties of controlled low-strength material containing foundry sand (97-M79) Nov.-Dec. 2000	698
Rehabilitation	
—Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000	272
Rehabilitation strategies	
—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000	201
Reinforced concretes	
—Bond behavior of corroded reinforcement bars (97-M28) Auyeung, Y.; Balaguru, P.; and Chung, L., Mar.-Apr. 2000	214
Reinforcement	
—Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Song, X., and Liu, X., Mar.-Apr. 2000	148
—Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) Malhotra, V. M.; Zhang, M.-H.; and Leaman, G. H., July-Aug. 2000	409
—Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000	254
—Studies on galvanized carbon steel in $\text{Ca}(\text{OH})_2$ solutions (97-M49) Haran, B. S.; Popov, B. N.; Petrou, M. F.; and White, R. E., July-Aug. 2000	425

Reinforcing materials

—Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Bantia, N., and Dubey, A., Jan.-Feb. 2000	3
—Microhardness testing of fiber-reinforced cement paste (97-M21) Cross, W. M.; Sabnis, K. H.; Kjerengtroen, L.; and Kellar, J. J., Mar.-Apr. 2000	162

Reinforcing steel

—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Trejo, D.; Monteiro, P. J. M.; Gerwick, B. C., Jr.; and Thomas, G., Jan.-Feb. 2000	78
---	----

Repair

—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000	201
—Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000	272

Repetto, W. L. —Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) July-Aug. 2000	438
--	-----

Restraint (of concrete)

—Evaluation of internal restrained strain in concrete members at early age (97-M70) Lu, H. R.; Swaddiwudhipong, S.; and Wee, T. H., Sept.-Oct. 2000	612
---	-----

Rheological behavior and setting time of microfine cement-based grouts (97-M55) Perret, S.; Palardy, D.; and Ballivy, G., July-Aug. 2000	472
---	-----

Rheology

—High content of fly ash (class F) in extruded cementitious composites (97-M59) Peled, A.; Cyr, M. F.; and Shah, S. P., Sept.-Oct. 2000	509
—Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kolli, V. G.; and Harries, K. A., July-Aug. 2000	479

—Rheological behavior and setting time of microfine cement-based grouts (97-M55) Perret, S.; Palardy, D.; and Ballivy, G., July-Aug. 2000	472
---	-----

Ryell, J. —Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Sept.-Oct. 2000	518
--	-----

S

Sabnis, K. H. —Microhardness testing of fiber-reinforced cement paste (97-M21) Mar.-Apr. 2000	162
Sakai, K. —Application of continuum damage mechanics to carbon fiber-reinforced cement composites (97-M30) May-June 2000	245

Sand

—Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) Xu, G., and Beaudoin, J. J., July-Aug. 2000	418
—Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) Akkaya, Y.; Peled, A.; Picka, J. D.; and Shah, S. P., May-June 2000	393

—Properties of controlled low-strength material containing foundry sand (97-M79) Tikalsky, P.; Gaffney, M.; and Regan, R., Nov.-Dec. 2000	698
---	-----

Sand-light-weight concrete

—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000	281
---	-----

Sanjayan, J. G. —Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Sept.-Oct. 2000	594
---	-----

—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sept.-Oct. 2000	603
---	-----

Sarkar, S. L. —Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Mar.-Apr. 2000	99
--	----

Scanning electron microscope (SEM)

—Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000	309
---	-----

Schambun, L. —Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Jan.-Feb. 2000	21
---	----

Self-consolidating concrete

—Optimization and performance of air-entrained, self-consolidating concrete (97-M61) Khayat, K. H., Sept.-Oct. 2000	526
---	-----

Self-desiccation

—Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000	587
---	-----

Self-stressing

—Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opara, N., and Thiedeman, P. D., May-June 2000	297
---	-----

Segregation

- Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 374

Serviceability

- Prediction of modulus of rupture of concrete (97-M25) Légeron, F., and Paultre, P., Mar.-Apr. 2000 193

Settlement

- Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kolli, V. K.; and Harries, K. A., July-Aug. 2000 479
- Shah, S. P.—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 127
- Effect of sand addition on properties of fiber-reinforced cement composites (97-M46) May-June 2000 393
- Estimation of water flow through cracked concrete under load (97-M65) Sept.-Oct. 2000 567
- High content of fly ash (class F) in extruded cementitious composites (97-M59) Sept.-Oct. 2000 509
- Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Nov.-Dec. 2000 637
- Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Nov.-Dec. 2000 675

Shape memory alloys

- Active confinement of concrete members with self-stressing composites (97-M36) Krstulovic-Opara, N., and Thiedeman, P. D., May-June 2000 297

Shear properties

- Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000 108

Shotcrete

- Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Bindiganavile, V., and Banthia, N., Mar.-Apr. 2000 115

Shrinkage

- Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Lim, S. N., and Wee, T. H., Sept.-Oct. 2000 587
- Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000 71
- Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) Cusson, D., and Repette, W. L., July-Aug. 2000 438
- Numerical modeling of alkali-activated slag concrete beams subjected to restrained shrinkage (97-M68) Collins, F., and Sanjayan, J. G., Sept.-Oct. 2000 594
- Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) Banthia, N., and Yan, C., July-Aug. 2000 432
- Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) Mokhtarzadeh, A., and French, C., May-June 2000 263

Shrinkage cracking

- Estimation of water flow through cracked concrete under load (97-M65) Aldea, C.-M.; Ghandehari, M.; Shah, S. P.; and Karr, A., Sept.-Oct. 2000 567

- Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) Banthia, N., and Yan, C., July-Aug. 2000 432

Silica fume

- Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000 333
- Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Whiting, D. A.; Detwiler, R. J.; and Lagergren, E. S., Jan.-Feb. 2000 71
- Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Zhang, M.-H.; Malhotra, V. M.; and Wolsiefer, J. Sr., Sept.-Oct. 2000 576
- Effect of moisture content on water transport in silica fume concrete (97-M58) Aldred, J. M.; Swaddiwudhipong, S.; Lee, S. L.; and Wee, T. H., July-Aug. 2000 493
- Effect of silica fume and rice husk ash on alkali-silica reaction (97-M57) Hasparik, N. P.; Monteiro, P. J. M.; and Carasek, H., July-Aug. 2000 486
- Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000 21
- Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Malhotra, V. M.; Zhang, M.-H.; Read, P. H.; and Ryell, J., Sept.-Oct. 2000 518

- Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Malhotra, V. M.; Zhang, M.-H.; and Sarkar, S. L., Mar.-Apr. 2000 99

- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000 254
- Rebound in dry-mix shotcrete: influence of type of mineral admixture (97-M15) Bindiganavile, V., and Banthia, N., Mar.-Apr. 2000 115

- Singh, S. P.—Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Nov.-Dec. 2000 658

- Sioulas, B.—Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sept.-Oct. 2000 603

Slab

- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000 254
- Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Abraham, O.; Léonard, C.; Côté, P.; and Piwakowski, B., Nov.-Dec. 2000 645

Slag

- Monitoring water and ionic penetration into cover-zone concrete (97-M75) McCarter, W. J., and Chrisp, M., Nov.-Dec. 2000 668

Slump

- Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) Videla, C., and López, M., May-June 2000 281

- Song, W.-J.—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 127

- Song, X.—Experimental research on corrosion of reinforcement in concrete through cathode-to-anode area ratio (97-M19) Mar.-Apr. 2000 148

Spalling

- Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000 351

Splitting tensile strength

- Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Chan, S. Y. N.; Feng, N.-Q.; and Tsang, M. K. C., Mar.-Apr. 2000 108

- Mechanical properties of high-strength concrete with consideration for precast applications (97-M18) Mokhtarzadeh, A., and French, C., Mar.-Apr. 2000 136

Stage of Carbonation

- Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000 168

Steel

- Effects of nitrate-based corrosion inhibitor on concrete's rapid chloride permeability values and its dielectric properties (97-M54) Loulizi, A.; Al-Qadi, I. L.; and Diefenderfer, B. K., July-Aug. 2000 465

- Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74) Singh, S. P., and Kaushik, S. K., Nov.-Dec. 2000 658

Steel corrosion

- Measurement techniques for rapid assessment of carbonation in concrete (97-M22) Krajci, L., and Janotka, I., Mar.-Apr. 2000 168

Stirrups

- Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) Otsuki, N.; Miyazato, S.-i.; Diola, N. B.; and Suzuki, H., July-Aug. 2000 454

Strain

- Acoustic emission monitoring of fracture of fiber-reinforced concrete in tension (97-M71) Li, F., and Li, Z., Nov.-Dec. 2000 629

- Evaluation of internal restrained strain in concrete members at early age (97-M70) Lu, H. R.; Swaddiwudhipong, S.; and Wee, T. H., Sept.-Oct. 2000 612

Strength

- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000 556

- Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000 120

- Influence of mixture proportions and curing conditions on compressive strength of high-performance concrete (97-M3) Kovler, K.; Schamban, I.; Igarashi, S.; and Bentur, A., Jan.-Feb. 2000 21

- Strength development of concrete incorporating high levels of ground-granulated blast-furnace slag at low temperatures (97-M9) Miura, T., and Iwaki, I., Jan.-Feb. 2000 66

- Strength of slag-cement concrete cured in place and in other conditions (97-M69) Sanjayan, J. G., and Sioulas, B., Sept.-Oct. 2000 603

Stress-strain diagram

- High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Li, Q., and Ansari, F., Nov.-Dec. 2000 684

Stress-strain relationships

- Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000 27

Structural concrete

- Corrosion initiation of reinforcing steel in concrete under natural salt spray and service loading—results and analysis (97-M78) Li, C. Q., Nov.-Dec. 2000 690

- Studies on galvanized carbon steel in $\text{Ca}(\text{OH})_2$ solutions (97-M49) Haran, B. S.; Popov, B. N.; Petrou, M. F.; and White, R. E., July-Aug. 2000 425

- Subramaniam, K. V.—Application of surface wave transmission measurements for crack depth determination in concrete (97-M17) Mar.-Apr. 2000 127

Sulfate attack

- Empirical models to predict concrete expansion caused by sulfate attack (97-M20) Kurtis, K. E.; Monteiro, P. J. M.; and Madanat, S. M., Mar.-Apr. 2000 156

Sulfate resistance

- Sulfate resistance of concrete containing mineral admixtures (97-M62) Wee, T. H.; Suryavanshi, A. K.; Wong, S. F.; and Rahman, A. K. M. A., Sept.-Oct. 2000 536

- Sulfate resistance of concrete containing mineral admixtures (97-M62) Wee, T. H.; Suryavanshi, A. K.; Wong, S. F.; and Rahman, A. K. M. A., Sept.-Oct. 2000 536

- Surberg, C. H.—Factors influencing fracture behavior of old-new concrete bonds (97-M52) July-Aug. 2000 447

Surface texture

- Factors influencing fracture behavior of old-new concrete bonds (97-M52) Tschegg, E. K.; Ingruber, M.; Surberg, C. H.; and Münger, F., July-Aug. 2000 447

- Suryavanshi, A. K.—Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Mar.-Apr. 2000 221

- Sulfate resistance of concrete containing mineral admixtures (97-M62) Sept.-Oct. 2000 536

- Suzuki, H.—Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) July-Aug. 2000 454

- Swaddiwudhipong, S.—Effect of moisture content on water transport in silica fume concrete (97-M58) July-Aug. 2000 493

- Evaluation of internal restrained strain in concrete members at early age (97-M70) Sept.-Oct. 2000 612

- Swan, C.—Physical properties of concrete with vitrified coarse aggregate (97-M42) May-June 2000 360

T

- Tagnit-Hamou, A.—Influence of curing conditions on concrete specimens at construction site (97-M16) Mar.-Apr. 2000 120

Temperature

- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000 550

- Influence of curing conditions on concrete specimens at construction site (97-M16) Plante, M.; Cameron, G.; and Tagnit-Hamou, A., Mar.-Apr. 2000 120

Tensile strength

- Behavior of high-strength concrete under biaxial stresses (97-M4) Hussein, A., and Marzouk, H., Jan.-Feb. 2000 27

- High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 49

Tensile stresses

- Postpeak behavior of fiber-reinforced concrete under cyclic tensile loads (97-M24) Plizzari, G. A.; Cangiano, S.; and Cere, N., Mar.-Apr. 2000 182

Tension

- High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 49

Tension tests

- High-strength concrete in uniaxial tension (97-M7) Li, Q., and Ansari, F., Jan.-Feb. 2000 49

Test

- High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58

- Impact of coarse aggregates on transverse crack performance in jointed concrete pavements (97-M38) Buch, N.; Frabizzio, M. A.; and Hiller, J. E., May-June 2000 325

- Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) Delatte, N. J., Jr.; Wade, D. M.; and Fowler, D. W., May-June 2000 272

- Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Abraham, O.; Léonard, C.; Côte, P.; and Piwakowski, B., Nov.-Dec. 2000 645

Test methods

- Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Delatte, N. J.; Williamson, M. S.; and Fowler, D. W., Mar.-Apr. 2000 201

Testing

- Measurement of flexural toughness of fiber-reinforced concrete using a novel technique—part 2: performance of various composites (97-M1) Bantia, N., and Dubey, A., Jan.-Feb. 2000 3

- Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Heritage, I.; Khalaf, F. M.; and Wilson, J. G., Jan.-Feb. 2000 37

Thermal conductivity

- Monitoring water and ionic penetration into cover-zone concrete (97-M75) McCarter, W. J., and Chrisp, M., Nov.-Dec. 2000 668

Thickness

- High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58

- Thiedeman, P. D.—Active confinement of concrete members with self-stressing composites (97-M36) May-June 2000 297

- Thomas, G.—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Jan.-Feb. 2000 78

- Tikalsky, P.—Properties of controlled low-strength material containing foundry sand (97-M79) Nov.-Dec. 2000 698

- Time-dependent properties of high-strength concrete with consideration for precast applications (97-M32) Mokhtarzadeh, A., and French, C., May-June 2000 263

- Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73) Abraham, O.; Léonard, C.; Côte, P.; and Piwakowski, B., Nov.-Dec. 2000 645

- Tin, S. S.—Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Mar.-Apr. 2000 221

Toughness

- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000 550

- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Zhang, B.; Bicanic, N.; Pearce, C. J.; and Balabanic, G., Sept.-Oct. 2000 556

- Trejo, D.—Microstructural design of concrete reinforcing bars for improved corrosion performance (97-M11) Jan.-Feb. 2000 78

Triaxial compression test

- High-strength concrete in triaxial compression by different sizes of specimens (97-M77) Li, Q., and Ansari, F., Nov.-Dec. 2000 684

- Tsang, M. K. C.—Mechanical properties of high-strength concrete incorporating carrier fluidifying agent (97-M14) Mar.-Apr. 2000 108

- Tschegg, E. K.—Factors influencing fracture behavior of old-new concrete bonds (97-M52) July-Aug. 2000 447

- Tuan, C. Y.—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Mar.-Apr. 2000 172

U

Ultrasonic

- Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Rapoport, J. R.; Popovics, J. S.; Kolluru, S. V.; and Shah, S. P., Nov.-Dec. 2000 675

Ultrasonic tests

- High-frequency ultrasound technique for testing concrete (97-M8) Popovics, S.; Bilgutay, N. M.; Karaoguz, M.; and Akgul, T., Jan.-Feb. 2000 58

- Using ultrasound to monitor stiffening process of concrete with admixtures (97-M76) Rapoport, J. R.; Popovics, J. S.; Kolluru, S. V.; and Shah, S. P., Nov.-Dec. 2000 675

V

Vibration

- Cement-based materials improved by surface-treated admixtures (97-M39) Xu, Y., and Chung, D. D. L., May-June 2000 . . . 333
- Early-age cracking in reconstructed concrete bridge barrier walls (97-M51) Cusson, D., and Repette, W. L., July-Aug. 2000 . . . 438
- Influence of mortar rheology on aggregate settlement (97-M56) Petrou, M. F.; Wan, B.; Gadala-Maria, F.; Kollu, V. G.; and Harries, K. A., July-Aug. 2000 . . . 479
- Videla, C.**—Mixture proportioning methodology for structural sand-lightweight concrete (97-M34) May-June 2000 . . . 281
- Viscosity**
- Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 . . . 374

W

- Wade, D. M.**—Laboratory and field testing of concrete bond development for expedited bonded concrete overlays (97-M33) May-June 2000 . . . 272

Walls

- Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 . . . 374
- Wan, B.**—Influence of mortar rheology on aggregate settlement (97-M56) July-Aug. 2000 . . . 479
- Wang, K.**—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Nov.-Dec. 2000 . . . 637

Water-cementitious materials ratio

- Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Zhang, M.-H.; Malhotra, V. M.; and Wolsiefer, J. Sr., Sept.-Oct. 2000 . . . 576

Water-cement ratio

- Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) Xu, G., and Beaudoin, J. J., July-Aug. 2000 . . . 418
- Fibers, percolation, and spalling of high-performance concrete (97-M41) Bentz, D. P., May-June 2000 . . . 351
- Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53) Otsuki, N.; Miyazato, S.-i.; Diola, N. B., and Suzuki, H., July-Aug. 2000 . . . 454
- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., May-June 2000 . . . 254

Water-reducing (high range) admixture

- Rheological behavior and setting time of microfine cement-based grouts (97-M55) Perret, S.; Palardy, D.; and Ballivy, G., July-Aug. 2000 . . . 472

Wedge

- Estimation of water flow through cracked concrete under load (97-M65) Aldea, C.-M.; Ghandehari, M.; Shah, S. P.; and Karr, A., Sept.-Oct. 2000 . . . 567
- Wee, T. H.**—Autogenous shrinkage of ground-granulated blast-furnace slag concrete (97-M67) Sept.-Oct. 2000 . . . 587
- Effect of moisture content on water transport in silica fume concrete (97-M58) July-Aug. 2000 . . . 493
- Evaluation of internal restrained strain in concrete members at early age (97-M70) Sept.-Oct. 2000 . . . 612
- Evaluation of rapid chloride permeability test (RCPT) results for concrete containing mineral admixtures (97-M29) Mar.-Apr. 2000 221
- Sulfate resistance of concrete containing mineral admixtures (97-M62) Sept.-Oct. 2000 . . . 536

- Weiss, W. J.**—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Nov.-Dec. 2000 . . . 637
- Williamson, M. S.**—Bond strength development with maturity of high-early-strength bonded concrete overlays (97-M26) Mar.-Apr. 2000 . . . 201
- Wilson, J. G.**—Thermal acceleration of portland cement concretes using direct electronic curing (97-M5) Jan.-Feb. 2000 . . . 37
- White, R. E.**—Studies on galvanized carbon steel in $\text{Ca}(\text{OH})_2$ solutions (97-M49) July-Aug. 2000 . . . 425
- Whiting, D. A.**—Cracking tendency and drying shrinkage of silica fume concrete for bridge deck applications (97-M10) Jan.-Feb. 2000 . . . 71
- Wolsiefer, J. Sr.**—Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Sept.-Oct. 2000 . . . 576
- Wong, S. F.**—Sulfate resistance of concrete containing mineral admixtures (97-M62) Sept.-Oct. 2000 . . . 536
- Workability**

- Performance of self-consolidating concrete for casting basement and foundation walls (97-M44) Khayat, K. H.; Bickley, J.; and Lessard, M., May-June 2000 . . . 374

X

X-ray diffraction (XRD)

- Characteristics of microhydrates formed under steam conditions (97-M37) Lin, W.-M.; Hwang, C. L.; and Peng, Y. N., May-June 2000 . . . 309
- Xu, G.**—Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48) July-Aug. 2000 . . . 418
- Xu, Y.**—Cement-based materials improved by surface-treated admixtures (97-M39) May-June 2000 . . . 333

Y

- Yan, C.**—Shrinkage cracking in polyolefin fiber-reinforced concrete (97-M50) July-Aug. 2000 . . . 432
- Yehia, S.**—Conductive concrete overlay for bridge deck deicing: mixture proportioning, optimization, and properties (97-M23) Mar.-Apr. 2000 . . . 172
- Yoon, S.**—Interaction between loading, corrosion, and serviceability of reinforced concrete (97-M72) Nov.-Dec. 2000 . . . 637

Z

- Zhang, B.**—Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part I: general introduction (97-M63) Sept.-Oct. 2000 . . . 550
- Assessment of toughness of concrete subject to elevated temperatures from complete load-displacement curve—part II: experimental investigations (97-M64) Sept.-Oct. 2000 . . . 556
- Zhang, M.-H.**—Determination of free silicon content in silica fume and its effect on volume of gas released from mortars incorporating silica fume (97-M66) Sept.-Oct. 2000 . . . 576
- Long-term mechanical properties and durability characteristics of high-strength/high-performance concrete incorporating supplementary cementing materials under outdoor exposure conditions (97-M60) Sept.-Oct. 2000 . . . 518
- Long-term performance of steel reinforcing bars in portland cement concrete and concrete incorporating moderate and high volumes of ASTM class F fly ash (97-M47) July-Aug. 2000 . . . 409
- Manufacture of concrete test panels and their performance after seven years of exposure in arctic marine environment (97-M13) Mar.-Apr. 2000 . . . 99
- Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31) May-June 2000 . . . 254

